

SUMMIT SERIES SEATING



**Comfort and
convenience**

Summit Series Seating



Unparalleled levels of service and quality

All moving components in this seat require no oil, grease or ongoing maintenance. The seat is installed with lock washers and socket head screws for a lifetime of trouble-free operation. All metal and aluminum parts are coated with your choice in color of a durable UV powder-coated finish. The HDPE on our indoor applications includes a flame-retardant additive. For our outdoor applications, we recommend including a UV stabilizer for added life expectancy. The contoured design of this seat increases strength while adding to the comfort.

Specifications

Standard Colors

RED - FR301

GREEN - FR603

BLUE - FR501

BLACK - FR001

Seat and Back Features



Seat and back shall be one-piece, double-wall, blow-molded plastic construction, high density, high impact-resistant linear polyethylene with smooth surface. Seats and backs to receive inserts which are securely fastened to the blow-molded seat and back. Stay-fast insert nuts to be molded into the seat and back to achieve torque and pullout strength requirements. Through fasteners are not acceptable.

Bracket Features

Seats and backs shall be supported by diecast aluminum. All riser center brackets to be installed with a minimum of three 8mm wedge anchors. Brackets to be installed on 500mm or 550mm centers; seats and backs are built to accommodate these sizes. Seat is tested by a certified, independent laboratory to 100,000 cycles with no appreciable loss to the self-rising action or loosening of components.

Model YK2865RSC

By adding the "R" to the back of the model number, you are adding an upholstered, cushioned insert to the seat and back. With this increase in comfort you are also able to choose from a variety of finishes to further accent your facility. An added "C" indicates the inclusion of a cup holder.



YK-2865SC

YK-2865RSC

Options

- Unique color matching
- Variety of fabrics
- Cup holders
- Tread or riser mounts